

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PRO-FIX 5&10 PART A
PRODUCT CODE: NA

SECTION I – MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: BRAMPTON TECHNOLOGY, LTD
ADDRESS: 55 MASELLI RD, NEWINGTON, CT 06067
EMERGENCY PHONE: 860-667-7689 INFORMATION PHONE: 860-667-7689
DATE REVISED:1/11/00 NAME OF PREPARER:NA

SECTION II – HAZARDOUS INGREDIENTS / SARA III INFORMATION

Hazardous Components	Osha PEL	AOGIH TLV	Other Exposure limits	Percent	CAS #
EPOXY RESIN	Not Established			90	
RUBBER MODIFIERS	Not Established			06	
INERT FILLERS	Not Established			04	

THIS PRODUCT DOES NOT CONTAIN ANY HAZARDOUS CHEMICALS AS DEFINED BY THE OSHA HAZARD COMMUNICATION STANDARD.

THIS DOCUMENT IS PREPARED PURSUANT TO THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

SECTION III – PHYSICAL/ CHEMICAL CHARACTERISTICS

BOILING RANGE: Decomposes before boiling
VAPOR DENSITY: NA (Solid)
COATING VOC: NA
MATERIAL VOC: NA
SOLUBILITY IN WATER : NEGLIGIBLE
APPEARANCE AND ODOR: Opaque, no noticeable odor

SPECIFIC GRAVITY (H2O=1): 1.15
EVAPORATION RATE:NA
REACTIVITY IN WATER: None
MELTING POINT: Over 140° F

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: Over 200° F
FLAMMABLE LIMITS IN AIR % BY VOLUME – LOWER: Not determined
AUTO IGNITION TEMPERATURE: Over 500° F

METHOD USED: Closed cup
UPPER: Not determined

EXTINGUISHING MEDIA: DRY CHEMICAL, CO2 FOAM

SPECIAL FIREFIGHTING PROCEDURES: USE SELF CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Exothermic, Decomposes.

PAGE 2 OF 3
MATERIAL SAFETY DATA SHEET
SECTION V REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID) STRONG ACIDS, ALKALIS, AMINES

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Oxides of carbon and nitrogen, aldehydes and other organics.

HAZARDOUS POLYMERIZATION: NA CONDITION TO AVOID: Do not expose to flame, fire or excessive heat.

SECTION VI – HEALTH HAZARD DATA

HAZARD: Possible minor skin irritation from prolonged contact.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Sensitive skin, allergies

CHEMICAL LISTED AS CARCINOGEN	NATIONAL TOXICOLOGY PROGRAM: NO	I.A.R.C. MONOGRAPHS: NO	OSHA: NO
----------------------------------	------------------------------------	----------------------------	----------

EMERGENCY AND FIRST AID PROCEDURES

Eyes: Flush immediately with water for at least 15 minutes. Take to a physician for treatment.

Skin: Wash affected areas with soap and water. Remove contaminated clothing. Consult a physician if Irritation persists.

Inhalation: NA

Ingestion: Not a probable route of entry

MATERIAL SAFETY DATA SHEET

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store at 0° F for long shelf life

OTHER PRECAUTIONS: None

STEPS TO BE TAKEN IN CASE OF RELEASE OR SPILL: Contain with speedy dry and containerize

WASTE DISPOSAL METHODS: Bury as solid waste in an approved landfill or incinerate in accordance with regulations.

SECTION VIII CONTROL MEASURES

RESPIRATORY PROTECTION: Not normally necessary.

VENTILATION: Mechanical suggested

PROTECTIVE GLOVES: Cotton, rubber

EYE PROTECTION: RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Clean long sleeve and long leg clothing

WORK / HYGENIC PRACTICES: Normal good industrial housekeeping.

SECTION IX DISCLAIMER

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.