

MATERIAL SAFETY DATA SHEET

Product Name: 0.010 Lead 50D 7265FAA  
Product Code: 10267

SECTION I – MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: LAMART CORPORATION  
ADDRESS: 16 RICHMOND ST. CLIFTON, N.J. 07011  
EMERGENCY PHONE: 973-772-6262                      INFORMATION PHONE: 973-772-6262  
DATE REVISED:03/21/00                                      NAME OF PREPARER:PAF

SECTION II – HAZARDOUS INGREDIENTS / SARA III INFORMATION

Hazardous Components	Gas Number	Occupational Exposure Limits		Vapor Press mm Hg @ Temp	Weight Percent
		Osha TLV	AOGIH TWA		
LEAD FOIL	7439-92-1	30ug/m3			

\*SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND THE COMMUNITY RIGHT TO KNOW ACT OF 1986 AND 40 CFR 372.

SECTION III – PHYSICAL/ CHEMICAL CHARACTERISTICS

BOILING RANGE: 3164F    SPECIFIC GRAVITY (H2O=1): NA  
VAPOR DENSITY: NA    EVAPORATION RATE:NA  
COATING VOC: NA  
MATERIAL VOC: NA  
SOLUBILITY IN WATER : NEGLIGIBLE  
APPEARANCE AND ODOR: SILVER/GRAY METAL PAPER LINER MILD ACRYLIC ODOR

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NA    METHOD USED: NA  
FLAMMABLE LIMITS IN AIR BY VOLUME – LOWER: NA    UPPER: NA  
EXTINGUISHING MEDIA: DRY CHEMICAL, CO2, DO NOT USE WATER ON MOLTEN METAL  
SPECIAL FIREFIGHTING PROCEDURES: SELF CONTAINED BREATHING APPARATUS  
IN CLOSE PROXIMITY TO FIRE.  
UNUSUAL FIRE AND EXPLOSION HAZARDS: MOLTEN METAL CAN PRODUCE TOXIC FUMES AND DUST. CAN REACT VIGOROUSLY WITH STRONG OXIDIZERS.

PAGE 2 OF 3  
MATERIAL SAFETY DATA SHEET  
SECTION V REACTIVITY DATA

STABILITY: STABLE  
CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID) STRONG OXIDIZERS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS  
CARBON MONOXIDE, CARBON DIOXIDE, WATER VAPOR, METAL FUMES, VAPOR, DUST.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI – HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURES  
DUST, FUME, OR VAPOR MAY BE IRRITATING TO RESPIRATORY SYSTEM AND CAN RESULT  
IN BOTH ACUTE AND CHRONIC OVEREXPOSURE.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
DUST, VAPOR AND FUME MAY CAUSE IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
NOT A PROBABLE ROUTE OF EXPOSURE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE  
DUST, VAPOR AND FUME MAY BE ABSORBED BY THE DIGESTIVE SYSTEM AND CAN  
RESULT IN BOTH ACUTE AND CHRONIC OVEREXPOSURE.

HEALTH HAZARDS (ACUTE AND CHRONIC)

ACUTE: UNTREATED, WEAKNESS, VOMITING, LOSS OF APPETITE, UNCOORDINATED BODY  
MOVEMENTS, CONVULSIONS, STUPOR, AND POSSIBLY COMA.

CHRONIC: UNTREATED, WEAKNESS, INSOMNIA, HYPERTENSION, IRRITATION TO THE SKIN  
AND EYES, METAL TASTE IN MOUTH, ANEMIA, CONSTIPATION, HEADACHES, JOINT PAINS,  
NEUROMUSCULAR DYSFUNCTION, PARALYSIS AND ENCEPHALOPATHY.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

LEAD AND ITS INORGANIC COMPOUNDS AND NEUROTOXINS WHICH MAY PRODUCE  
PERIPHERAL NEUROPATHY FOR AN OVERVIEW OF THE EFFECTS OF LEAD EXPOSURE  
CONSULT OSHA APPENDIX A (29CFR1910. 1025)

EMERGENCY AND FIRST AID PROCEDURES

Eyes: Flush immediately with water for at least 15 minutes. Take to a physician for treatment.

Skin: Wash affected areas with soap and water. Remove contaminated clothing. Consult a physician if  
Irritation persists.

Inhalation: Remove to fresh air. Restore breathing. Treat symptomatically. Consult a physician.

Ingestion: Do not induce vomiting. Consult a physician immediately. Treat symptomatically.

MATERIAL SAFETY DATA SHEET

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED  
GATHER UP AND PLACE IN SUITABLE CONTAINER , DO NOT USE COMPRESSED AIR AS A  
MEANS OF CLEANING.  
WASTE DISPOSAL METHOD

Dispose of in accordance with all local, state, and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING  
NORMAL HANDLING AND STORAGE FOLLOWING INDUSTRIAL GUIDELINES FOR LEAD.

OTHER PRECAUTIONS  
NONE

SECTION VIII CONTROL MEASURES

RESPIRATORY PROTECTION  
AS SPECIFIED BY OSHA 29CFR1910. 1025 SUBPART (F)

VENTILATION  
AS SPECIFIED BY ACGIH WERE EXPOSURES ARE ABOVE THE THRESHOLD LIMITS

PROTECTIVE GLOVES  
RECOMMENDED

EYE PROTECTION  
RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT  
PROTECT PERSONAL CLOTHING FROM CONTAMINATION, LAUNDER AFTER USE.

WORK / HYGENIC PRACTICES

Wash hands before eating or using restrooms. Remove and wash contaminated clothes before reuse.

SECTION IX DISCLAIMER

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.